Department of Botany Herbarium, Aligarh Muslim University, Aligarh.

This is the first record of the taxon at such a low altitude (218-275 m above msl).

December 27, 1999 ATHAR ALI KHAN

Department of Botany,

Aligarh Muslim University,

Aligarh 202 002, Uttar Pradesh, India.

30. THE IDENTITY OF *HYGROPHILA BENGALENSIS* MANDAL *ET AL.*, (FAMILY: ACANTHACEAE)

Mandal *et al.* (1997) described a new species of *Hygrophila* Br. (Acanthaceae) namely *H. bengalensis* Mandal Bhattacharjee *et* Nayek based on the collections of S.K. Mandal from Gorekhara, Sonarpur, 24-Parganas (South), West Bengal.

While establishing the new taxon, the authors stated that the new species is allied to H. salicifolia Nees and it differs in having "obovate to elliptic lanceolate leaves with undulated margin; yellow flowers; persistent calyx with marginal hairs; long slender style with articulated stigma; seeds 24-30, arranged alternately, attached by the recurved hook-shaped retinacula. Seeds testa with mucilaginous woolly hairs; arillated at the top, and ventrally notched." But a careful study of the protologue reveals that the morphological characters of H. bengalensis Mandal et al. are identical with H. erecta (Burm. f.) Hochr. Study of the type and other specimens deposited at (CAL) also revealed that this newly described taxon H. bengalensis Mandal et al. is identical with H. erecta (Burm. f.) Hochr.

Further, it is to be noted that some of the differentiating characters like "persistent calyx"; "recurved retinacula" and "testa with mucilaginous woolly hairs" are the common generic characters of *Hygrophila* Br. Moreover, none of the type specimens of *H. bengalensis* Mandal *et al.* have the "obovate leaves" as

mentioned in the protologue.

Since *H. bengalensis* Mandal *et al.* and *H. erecta* (Burm. *f.*) Hochr. are conspecific, *H. bengalensis* Mandal *et al.* becomes a superfluous name of *H. erecta* (Burm. *f.*) Hochr. The present status of *H. bengalensis* Mandal *et al.* is as follows:

Hygrophila erecta (Burm. f.) Hochr. in candollea 15: 210. 1935.

Ruellia erecta Burm. *f.*, Fl. Ind. 135. *t.* 4l, *f.* 3.1768.

Type: Rheede, Hort. Malabaricus 9 : 119. t. 61. 1669 (Repr. - 2 : 89. f. 46. 1983).

Hygrophila quadrivalvis Nees, Pl. Asiat. Rar. 3: 80. 1826; Clarke in Hook. f. Fl. Brit. India 4. 408. 1885.

Type: Wall. Cat. num. list no. 2374, 2374B-D microf. – CAL!

H. bengalensis Mandal et al. in J. Bombay nat. Hist. Soc. 94(3): 546-548. 1997 Syn. Nov.

Type: Holotype – Gorekhara, Sonarpur, 24-Parganas (S). West Bengal. S.K. Mandal; 30.i.1996; 1216A (CAL!) isotype – 1216 B-D (CAL!).

November 15, 1998 S. MITRA
S. BANDYOPADHYAY
Botanical Survey of India,
Botanic Garden, Howrah 3,
West Bengal, India.